

## Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility CIRCLE K #5570	Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number 212	Date 11/12/2009
Address: 221 WEST MAIN STREET BELLEVUE, OH 44811		Category/Descriptive COMMERCIAL LEVEL 3 <25,000 SQ. FT.	
License holder MAC'S CONVENIENCE STORES LLC	Inspection Time (min) 15	Travel Time (min) 0	Other
Type of visit (check) <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Follow Up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 Day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required) / /	Sample date/result (if required) / /

## Chapter 3717-1 OAC Violation Checked

## Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

## Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premise labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

## Equipment, Utensils, Linens and between Utensils, Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundering
4.8	Protection of clean items

## Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

## Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

## Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

## Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

## 901:3-4 OAC RFE Only

12	Articles - Cease use
13	Records
14	Food sample collected
15	Embargo of food/Voluntary destruction

## 3701-21 OAC FSO Only

27	Embargo of food, reference back to 901:3-4-15
----	---

## Violations/Comments

THE COOLER HAS BEEN REPAIRED AND IS HOLDING THE PROPER TEMPERATURE. CRITICAL VIOLATION FROM PREVIOUS INSPECTION HAS BEEN CORRECTED.

COOLER TEMPERATURE 39°F ✓

Inspected by AMANDA EATON SIT	R.S./SIT # 82666	Licensors Huron County General Health District
Received by <i>[Signature]</i>	Title manager	Phone 1-419-483-4930

As per HEA 5302 12/08 CHC Software, Inc.

As per AGR 1268 12/08 CHC Software, Inc.