

Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

Name of facility C STOP, INC.	Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number 458	Date 03/17/2009
Address: 2761 US20 EAST COLLINS, OH 44826		Category/Descriptive COMMERCIAL LEVEL 1 <25,000 SQ. FT.	
License holder C STOP, INC.	Inspection Time (min) 50	Travel Time (min) 0	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow Up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 Day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other <i>specify</i>		Follow-up date (if required) / /	Sample date/result (if required) / /

Chapter 3717-1 OAC Violation Checked

Management and Personnel

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

Food

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premise labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

Equipment, Utensils, Linens

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundrying
4.8	Protection of clean items

Water, Plumbing, and Waste

5.0	Water
5.1	Plumbing system
5.2	Mobile water tank and mobile FSO/RFE water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

Physical Facilities

6.0	Materials for construction and repair
6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

Poisonous or Toxic Materials

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Stock and retail sale separation

Special Requirements

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

901:3-4 OAC RFE Only

12	Articles - Cease use
13	Records
14	Food sample collected
15	Embargo of food/Voluntary destruction

3701-21 OAC FSO Only

27	Embargo of food
----	-----------------

Violations/Comments

NOTES:

-EGGS WERE STORED ON TOP SHELF OF COOLER. THEY WERE MOVED AT THE TIME OF INSPECTION
 -HANDWASHING SINK IS AVAILABLE AND SUPPLIED WITH SOAP AND PAPER TOWELS
 -COLD HOLDING TEMPS ARE GOOD
 *BEER COOLER 34°F
 *MILK 38°F
 °ORANGE JUICE 33°

NO VIOLATIONS WERE NOTED AT THIS TIME

Inspected by AMANDA EATON	R.S./SIT # 82666	Licenser Huron County General Health District
Received by	Title	Phone 1-419-588-2526