

# Ohio Department of Agriculture/Ohio Department of Health

## Standard Inspection Report

Authority: Chapters 3717 and 3715 Ohio Revised Code

119

Name of facility <b>PEAN'S PIZZA, SUBS, AND SUDZ</b>	Check one <input type="checkbox"/> FSO <input checked="" type="checkbox"/> RFE	License number 28	Date 05/20/2009
Address: <b>44 SOUTH MAIN STREET MONROEVILLE, OH 44847</b>		Category/Descriptive COMMERCIAL LEVEL 3 <25,000 SQ. FT.	
License holder <b>JEFFERY PEAN</b>	Inspection Time (min) 45	Travel Time (min) 0	Other
Type of visit (check) <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Follow Up <input type="checkbox"/> Foodborne <input type="checkbox"/> 30 Day <input type="checkbox"/> Complaint <input type="checkbox"/> Prelicensing <input type="checkbox"/> Consultation <input type="checkbox"/> Other specify		Follow-up date (if required) / /	Sample date/result (if required) / /

**Chapter 3717-1 OAC Violation Checked**

**Management and Personnel**

2.1	Employee health
2.2	Personal cleanliness
2.3	Hygienic practices
2.4	Supervision

**Food**

3.0	Safe, unadulterated and honestly presented
3.1	Sources, specification and original containers
3.2	Protection from contamination after receiving
3.3	Destruction of organisms
3.4	Limitation of growth of organisms
3.5	Identity, presentation, on premise labeling
3.6	Discarding or reconditioning unsafe, adulterated
3.7	Special requirements for highly susceptible populations

**Equipment, Utensils, Linens and between Utensils, Linens**

4.0	Materials for construction and repair
4.1	Design and construction
4.2	Numbers and capacities
4.3	Location and installation

<input checked="" type="checkbox"/> 4.4	Maintenance and operation
4.5	Cleaning of equipment and utensils
4.6	Sanitizing of equipment and utensils
4.7	Laundering
4.8	Protection of clean items

**Water, Plumbing, and Waste**

5.0	Water
5.1	Plumbing system
5.2	Mobile water tanks
5.3	Sewage, other liquid waste and rainwater
5.4	Refuse, recyclables, and returnables

**Physical Facilities**

6.0	Materials for construction and repair
6.1	Design, construction and installation
6.2	Numbers and capacities
6.3	Location and placement
6.4	Maintenance and operation

**Poisonous or Toxic Materials**

7.0	Labeling and identification
7.1	Operational supplies and applications
7.2	Storage and display separation

**Special Requirements**

8.0	Fresh juice production
8.1	Heat treatment dispensing freezers
8.2	Custom processing
8.3	Bulk water machine criteria
8.4	Acidified white rice preparation criteria
9.0	Facility layout and equipment specifications
20	Existing facilities and equipment

**901:3-4 OAC RFE Only**

12	Articles - Cease use
13	Records
14	Food sample collected
15	Embargo of food/Voluntary destruction

**3701-21 OAC FSO Only**

27	Embargo of food, reference back to 901:3-4-15
----	---

**Violations/Comments**

**DOOR ON REACH-IN COOLER NOT IN PROPER ADJUSTMENT.**  
 3717-1-04.4 Equipment, Utensils, and Linens: Maintenance and Operation

[Comment: For publication dates of the CFR referenced in this rule, see paragraph (B)(15)(b) of rule 3717-1-01 of the Administrative Code.]



(A) Equipment - good repair and proper adjustment.

(1) Equipment shall be maintained in a state of repair and condition that meets the requirements specified under rule 3717-1-04 of the Administrative Code and rule 3717-1-04.1 of the Administrative Code.

(2) Equipment components such as doors, seals, hinges, fasteners, and kick plates shall be kept intact, tight, and adjusted in accordance with manufacturer's specifications.

(3) Cutting or piercing parts of can openers shall be kept sharp to minimize the creation of metal fragments that can contaminate food when the container is opened.

**ADJUST DOOR TO ENSURE THAT IT SEALS PROPERLY.**

Inspected by <b>ERIC CHERRY RS</b> 	R.S./SIT # 2835	Licensor Huron County General Health District
Received by 	Title owner	Phone 1-419-465-2556